S3 Table. Host candidate genes in the mapped QTL for lesion size (GN trait ID: 17525) on mouse Chr 6 between 131.6 and 141.8Mb

| mouse Chr 6 between 131.6 and 141.8Mb |               |   |   |                       |                     |             |  |
|---------------------------------------|---------------|---|---|-----------------------|---------------------|-------------|--|
| Gene<br>symbol                        | Chr 6<br>(Mb) | Gene description                                      | GO biological process   | nsSNPs<br>(B6 vs. D2) | Indels<br>in<br>BXD | Score (0-4) |  |
| Etv6                                  | 133.99        | Ets variant gene 6 (TEL oncogene)                     | Regulation of transcription, cell differentiation   | 103                   | 40                  | 4           |  |
| Wbp11                                 | 136.76        | WW domain binding protein 11                          | mRNA processing, rRNA processing, RNA processing, RNA processing,                                   | 90                    | 14                  | 4           |  |
| Lrp6                                  | 134.4         | Low density lipoprotein receptor-related protein 6    | Endocytosis,<br>multicellular<br>organismal<br>development,<br>Wnt receptor<br>signaling<br>pathway | 69                    | 61                  | 4           |  |
| Arhgdib                               | 136.87        | Rho, GDP dissociation inhibitor (GDI) beta            | · ·   | 27                    | 8                   | 4           |  |
| Eps8                                  | 137.43        | Epidermal growth factor receptor pathway substrate 8  | Adult<br>locomotory<br>behavior, actin<br>cytoskeleton<br>reorganization                            | 96                    | 56                  | 4           |  |
| Atf7ip                                | 136.47        | Activating transcription factor 7 interacting protein | Negative<br>regulation of<br>transcription<br>from RNA<br>polymerase II<br>promoter                 | 57                    | 22                  | 4           |  |
| Emp1                                  | 135.31        | Epithelial membrane protein 1                         | Cell growth   | 48                    | 6                   | 4           |  |
| Ddx47                                 | 134.96        | DEAD (Asp-Glu-Ala-Asp) box polypeptide 47             | Biological process  | 68                    | 3                   | 4           |  |
| Gpr19                                 | 134.82        | G protein-coupled receptor 19                         | G-protein<br>coupled<br>receptor protein<br>signaling<br>pathway, signal                            | 11                    | 9                   | 4           |  |

| -        |        |   | . 1  |     |     |   |
|----------|--------|---|--|-----|-----|---|
|          |        |   | transduction   |     |     |   |
| Loh12cr1 | 134.59 | Loss of heterozygosity,<br>12, chromosomal<br>region 1 homolog<br>(human) | Biological process   | 27  | 20  | 4 |
| Gsg1     | 135.19 | Germ cell-specific gene 1   | Biological process   | 24  | 6   | 4 |
| Apold1   | 134.93 | Apolipoprotein L domain containing 1                                      |  | 78  | 4   | 4 |
| Pik3c2g  | 139.54 | Phosphatidylinositol 3-kinase, C2 domain containing, gamma polypeptide    | Cell communication, phosphoinositid e-mediated signaling   | 77  | 84  | 3 |
| Gucy2c   | 136.65 | Guanylate cyclase 2c  | Response to toxin, intracellular signaling cascade, regulation of cell proliferation                     | 72  | 32  | 3 |
| Cdkn1b   | 134.87 | Cyclin-dependent<br>kinase inhibitor 1B                                   | Negative regulation of cellular component movement, negative regulation of epithelial cell proliferation | 41  | 0   | 3 |
| Grin2b   | 135.68 | Glutamate receptor,<br>ionotropic, NMDA2B<br>(epsilon 2)                  | Regulation of action potential, synaptic transmission, calcium ion transport                             | 94  | 133 | 3 |
| Dusp16   | 134.67 | Dual specificity phosphatase 16   | Inactivation of MAPK activity  | 108 | 22  | 3 |
| Rerg     | 137    | RAS-like, estrogen-<br>regulated, growth-<br>inhibitor                    | Signal<br>transduction,<br>small GTPase<br>mediated signal<br>transduction                               | 70  | 27  | 3 |
| Erp27    | 136.86 | Endoplasmic reticulum protein 27  | Biological process   | 90  | 14  | 3 |

| Mgp     | 136.82 | Matrix Gla protein   | Ossification,<br>cell<br>differentiation,<br>multicellular<br>organismal<br>development            | 12 | 0  | 3 |
|---------|--------|--|--|----|----|---|
| Art4    | 136.8  | ADP-ribosyltransferase 4                                       | Biological process   | 69 | 5  | 3 |
| Hebp1   | 135.09 | Heme binding protein 1   | Heme metabolic process   | 26 | 12 | 3 |
| Gprc5d  | 135.06 | G protein-coupled receptor, family C, group 5, member D        | G-protein<br>coupled<br>receptor protein<br>signaling<br>pathway, hair<br>cycle,<br>keratinization | 27 | 7  | 3 |
| Gprc5a  | 135.02 | G protein-coupled receptor, family C, group 5, member A        | G-protein<br>coupled<br>receptor protein<br>signaling<br>pathway                                   | 61 | 9  | 3 |
| Plekha5 | 140.37 | Pleckstrin homology<br>domain containing,<br>family A member 5 | Biological process   | 1  | 0  | 3 |
| Ptpro   | 137.2  | Protein tyrosine phosphatase, receptor type, O                 |  | 91 | 66 | 3 |
| Plcz1   | 139.94 | Phospholipase C, zeta 1  | Lipid catabolic process, multicellular organismal development, signal transduction                 | 35 | 14 | 2 |
| Mgst1   | 138.09 | Microsomal glutathione<br>S-transferase 1                      | Glutathione<br>metabolic<br>process,<br>response to<br>lipopolysacchar<br>ide, response to<br>drug | 1  | 0  | 2 |
| Pde6h   | 136.9  | Phosphodiesterase 6H, cGMP-specific, cone, gamma               | Activation of MAPK activity, positive regulation of G-   | 17 | 4  | 2 |

| H2afj   136.76   H2A histone family, member J   Nucleosome assembly, biological process   |         |        |                                    |                                       |    |    |   |
|---|---------|--------|------------------------------------|---------------------------------------|----|----|---|
| Mist4h4   |         |        |                                    | receptor protein signaling            |    |    |   |
| Hist4h4   | H2afj   | 136.76 | -                                  | assembly,<br>biological               | 50 | 0  | 2 |
| Lmo3   138.31   LIM domain only 3   Regulation of transcription   | Hist4h4 | 136.75 | Histone cluster 4, H4              | Biological process, nucleosome        | 5  | 0  | 2 |
| Manscl   134.56   MANSC domain   Biological   38   13   2   | Aebp2   | 140.57 | AE binding protein 2               | transcription, chromatin              | 2  | 0  | 2 |
| Bel2l14   | Lmo3    | 138.31 | LIM domain only 3                  | _                                     | 72 | 29 | 2 |
| Prb1  | Mansc1  | 134.56 |                                    | _                                     | 38 | 13 | 2 |
| Prp2  | Bcl2l14 | 134.35 | , <b>.</b> .                       |                                       | 88 | 13 | 2 |
| Smim10l   | Prb1    | 132.16 |                                    | _                                     | 4  | 0  | 2 |
| Smim10l   | Prp2    | 132.55 | Proline rich protein 2             |                                       | 11 | 0  | 2 |
| L09Rik 8430419L09 gene process  Crebl2 134.78 cAMP responsive Regulation of element binding protein-like 2  BC04971 136.78 cDNA sequence Biological 91 8 2 BC049715 process  Smco3 136.78 Single-pass membrane protein with coiled-coil domains 3  Plbd1 136.56 Phospholipase B domain containing 1 process  Pde3a 141.2 Phosphodiesterase 3A, Regulation of cGMP inhibited meiosis, negative regulation of apoptosis | Smim10l | 133.07 | Small integral membrane protein 10 |                                       | 0  | 0  | 2 |
| element binding protein-like 2  BC04971 136.78 cDNA sequence Biological 91 8 2  BC049715 process  Smco3 136.78 Single-pass membrane Biological protein with coiled-coil domains 3  Plbd1 136.56 Phospholipase B Lipid catabolic 69 24 2 domain containing 1 process  Pde3a 141.2 Phosphodiesterase 3A, Regulation of cGMP inhibited meiosis, negative regulation of apoptosis   |         | 135.15 |                                    |                                       | 67 | 15 | 2 |
| Smco3 136.78 Single-pass membrane Biological 63 6 2 protein with coiled-coil process domains 3  Plbd1 136.56 Phospholipase B Lipid catabolic 69 24 2 domain containing 1 process  Pde3a 141.2 Phosphodiesterase 3A, Regulation of cGMP inhibited meiosis, negative regulation of apoptosis  | Crebl2  | 134.78 | element binding                    | •                                     | 34 | 2  | 2 |
| protein with coiled-coil process domains 3  Plbd1 136.56 Phospholipase B Lipid catabolic 69 24 2 domain containing 1 process  Pde3a 141.2 Phosphodiesterase 3A, Regulation of 0 0 1 cGMP inhibited meiosis, negative regulation of apoptosis  |         | 136.78 |                                    | -                                     | 91 | 8  | 2 |
| Pde3a 141.2 Phosphodiesterase 3A, Regulation of 0 0 1  cGMP inhibited meiosis, negative regulation of apoptosis   |         | 136.78 | protein with coiled-coil domains 3 | _                                     |    | 6  | 2 |
| cGMP inhibited meiosis, negative regulation of apoptosis  |         |        | domain containing 1                | process                               |    | 24 | 2 |
|   | Pde3a   | 141.2  | •                                  | meiosis,<br>negative<br>regulation of | 0  | 0  | 1 |
|   | Dera    | 137.7  | 2-deoxyribose-5-                   |                                       | 0  | 0  | 1 |

|         |        | phosphate aldolase<br>homolog (C. elegans)                        | otide catabolic<br>process,<br>metabolic<br>process   |    |   |   |
|---------|--------|---|---|----|---|---|
| Capza3  | 139.99 | Capping protein (actin filament) muscle Z-line, alpha 3           | Spermatid development, actin cytoskeleton organization  | 24 | 0 | 1 |
| Igbp1b  | 138.61 | Immunoglobulin (CD79A) binding protein 1b                         | B cell activation, regulation of signal transduction  | 11 | 0 | 1 |
| Strap   | 137.68 | Serine/threonine kinase receptor associated protein               | RNA splicing,<br>mRNA<br>processing,<br>negative<br>regulation of<br>transforming<br>growth factor<br>beta receptor<br>signaling<br>pathway | 0  | 0 | 1 |
| Pbp2    | 135.26 | Phosphatidylethanolam ine binding protein 2                       | Biological process  | 17 | 0 | 1 |
| Prpmp5  | 132.26 | Proline-rich protein MP5  | Biological process  | 9  | 0 | 1 |
| Kap     | 133.8  | Kidney androgen regulated protein                                 | •   | 4  | 0 | 1 |
| Slc15a5 | 137.93 | Solute carrier family 15, member 5                                | Peptide<br>transport,<br>protein<br>transport   | 0  | 1 | 1 |
| Slco1a4 | 141.75 | Solute carrier organic<br>anion transporter<br>family, member 1a4 | Organic anion transport   | 0  | 0 | 0 |
| Slco1b2 | 141.58 | Solute carrier organic anion transporter family, member 1b2       | Ion transport,<br>oligopeptide<br>transport, bile<br>acid and bile<br>salt transport  | 0  | 0 | 0 |
| Slco1c1 | 141.47 | Solute carrier organic anion transporter family, member 1c1       | Ion transport,<br>bile acid and<br>salt transport   | 0  | 0 | 0 |